PROCUREMENT SPECIFICATION FOR CDR CERAMIC CHIP CAPACITORS

A. QUALITY REQUIREMENTS:

1. Qualified to Generic Specification: MIL-PRF-55681

2. Failure rate level: "S' ('R' level considered if no quote received for 'S' level)

B. COMPONENT SPECIFICATION:

1. Style

: CDR31.

2. Value

3. Tolerance

As per Table-1

4. Temperature coefficient

5. End termination

"'U' (Base metallization - barrier metal solder coated.)

C. TEST REQUIREMENTS:

1. The components shall have undergone Group 'A' tests as per MIL-PRF-55681.

D. DATA PACK REQUIREMENTS:

- 1. Group 'A' test data.
- 2. Certificate of Conformance from the manufacturer.

E. OTHER REQUIREMENTS:

- 1. The name of the manufacturer shall be specified as part of the offer.
- 2. Each device type shall be supplied from lots with same Date code. The devices shall be drawn from lots manufactured less than 5 years of the date of shipment.
- 3. No pure tin shall be used in the fabrication/assembly of the component.
- 4. Latest data sheet of the quoted item shall be sent along with the offer.
- 5. Only Vendors/suppliers authorized to source the above components from the manufacturer shall be considered. Necessary certificate from the manufacturer shall be enclosed along with the offer.
- 6. Capacitors shall be supplied in a packing that bears a label giving details such as a. Part number b. Value c. Tolerance d. End termination e. Failure Rate etc.
- 7. Report to URSC all NCR/DCN during procurement/testing.

Please provide point by point compliance to specifications in your quote.

Table-1

Sl. No	Part Details	
1	CDR31 1 kpf 100V 10%	
2	CDR31 4.7 kpf 100V 10%	×