

**GOVERNMENT OF INDIA
DEPARTMENT OF SPACE
SATISH DHAWAN SPACE CENTRE SHAR SRIHARIKOTA (SDSC SHAR)
NELLORE**

Tender for SUPPLY OF SPRAY PAINT TINS TO CRYO SYSTEMS

Bids to be submitted online

Tender No.: SDSC SHAR/LSSF PURCHASE/SH202200184101 dated 12-01-2023

A. Tender Details

Tender No : **SDSC SHAR/LSSF PURCHASE/SH202200184101**

Tender Date : **12-01-2023**

Tender Classification: **GOODS**

Purchase Entity : **LSSF PURCHASE**

Centre : **SATISH DHAWAN SPACE CENTRE SHAR SRIHARIKOTA
(SDSC SHAR)**

SUPPLY OF SPRAY PAINT TINS TO CRYO SYSTEMS

For supply of spray paint tins to cryo systems.

A.1 Tender Schedule

Bid Submission Start Date : **12-01-2023 12:35**

Bid Clarification Due Date : **17-01-2023 16:00**

Bid Submission Due Date : **09-02-2023 16:00**

Bid Opening Date : **10-02-2023 14:30**

B. Tender Attachments

Technical Write-up/Drawings

Document : Technical specifications, Annexure-2

Document : Technical specifications, Annexure-1

Instructions To Vendors

C. Bid Templates

C.1 Technical Bid - SUPPLY OF SPRAY PAINT TINS TO CRYO SYSTEMS

1. EPOXY PAINT Thermoplastic acrylic resin spray paint 400ml tins. Color: Red, Detailed specifications are as mentioned in Annexure-1.

Item specifications for EPOXY PAINT

SI No	Specification	Value	Compliance	Offered Specification	Remark
1	Thermoplastic acrylic resin Spray Paint, Color: Red	<p>I.Characteristics of paint:</p> <ol style="list-style-type: none">1.Excellent weather resistance2.Good leveling3.High coverage4.Fast dry5.Rich color6.High luster7.Better flexibility8.Impact enduring9.Strong adhesiveness10.Match well with many type of primers <p>II.Applications: Spraying and repairing of surfaces of metals, Wood, Glass, Leather, Porcelain, ABS plastic, Wall, Floor etc.,</p> <p>III.Volume of each tin: 400ml</p>	Yes / No / Explain		

2. EPOXY PAINT Thermoplastic acrylic resin spray paint 400ml tins. Color: white, Detailed specifications are as mentioned in Annexure-1.

Item specifications for EPOXY PAINT

SI No	Specification	Value	Compliance	Offered Specification	Remark
-------	---------------	-------	------------	-----------------------	--------

1	Thermoplastic acrylic resin Spray Paint Tins, Color: White	<p>I.Characteristics of paint:</p> <ol style="list-style-type: none"> 1.Excellent weather resistance 2.Good leveling 3.High coverage 4.Fast dry 5.Rich color 6.High luster 7.Better flexibility 8.Impact enduring 9.Strong adhesiveness 10.Match well with many type of primers <p>II.Applications: Spraying and repairing of surfaces of metals, Wood, Glass, Leather, Porcelain, ABS plastic, Wall, Floor etc.,</p> <p>III.Volume of each tin: 400ml</p>	Yes / No / Explain		
---	--	--	--------------------	--	--

3. EPOXY PAINT Thermoplastic acrylic resin spray paint 400ml tins. Color: Green, Detailed specifications are as mentioned in Annexure-1.

Item specifications for EPOXY PAINT

SI No	Specification	Value	Compliance	Offered Specification	Remark
-------	---------------	-------	------------	-----------------------	--------

1	Thermoplastic acrylic resin Spray Paint Tins, Color: Green	<p>I.Characteristics of paint:</p> <ol style="list-style-type: none"> 1.Excellent weather resistance 2.Good leveling 3.High coverage 4.Fast dry 5.Rich color 6.High luster 7.Better flexibility 8.Impact enduring 9.Strong adhesiveness 10.Match well with many type of primers <p>II.Applications: Spraying and repairing of surfaces of metals, Wood, Glass, Leather, Porcelain, ABS plastic, Wall, Floor etc.,</p> <p>III.Volume of each tin: 400ml</p>	Yes / No / Explain		
---	--	--	--------------------	--	--

4. EPOXY PAINT Thermoplastic acrylic resin spray paint 400ml tins. Color: Yellow, Detailed specifications are as mentioned in Annexure-1.

Item specifications for EPOXY PAINT

SI No	Specification	Value	Compliance	Offered Specification	Remark
-------	---------------	-------	------------	-----------------------	--------

1	Thermoplastic acrylic resin Spray Paint Tins, color:Yellow	<p>Specifications for supply of Thermoplastic acrylic resin Spray Paint Tins:</p> <p>I.Characteristics of paint:</p> <ol style="list-style-type: none"> 1.Excellent weather resistance 2.Good leveling 3.High coverage 4.Fast dry 5.Rich color 6.High luster 7.Better flexibility 8.Impact enduring 9.Strong adhesiveness 10.Match well with many type of primers <p>II.Applications: Spraying and repairing of surfaces of metals, Wood, Glass, Leather, Porcelain, ABS plastic, Wall, Floor etc.,</p> <p>III.Volume of each tin: 400ml</p>	Yes / No / Explain		
---	--	--	--------------------	--	--

5. EPOXY PAINT Spray paint black Matt 450ml. tins, Detailed specifications are as mentioned in Annexure-2.

Item specifications for EPOXY PAINT

SI No	Specification	Value	Compliance	Offered Specification	Remark
-------	---------------	-------	------------	-----------------------	--------

1	Black Matt Corrosive Resistant Adhesive Spray Paint Tins	<p>I.Characteristics of paint:</p> <ol style="list-style-type: none"> 1.Excellent weather resistance 2.Water proof 3.Leak proof 4.Anti-air Atop-Roof Glue Exterior 5.Good leveling 6.High coverage 7.Fast dry 8.Rich color 9.High luster 10.Better flexibility 11.Impact enduring 12.Strong adhesiveness 13.Match well with many type of primers <p>IV.Applications: Repair the leakage of tube root, pipe corner, cracks, slot wiring, pipe joints etc.,</p> <p>V.Volume of each tin: 450ml</p>	Yes / No / Explain		
---	--	---	--------------------	--	--

Common Specifications (Applicable for all items)

Sl No	Specification	Value	Compliance	Offered Specification	Remark
1	Specifications for supply of Thermoplastic acrylic resin Spray Paint Tins. Detailed specifications are as mentioned in Annexure-1.	<p>I.Characteristics of paint:</p> <ol style="list-style-type: none"> 1.Excellent weather resistance 2.Good leveling 3.High coverage 4.Fast dry 5.Rich color 6.High luster 7.Better flexibility 8.Impact enduring 9.Strong adhesiveness 10.Match well with many type of primers <p>II.Applications: Spraying and repairing of surfaces of metals, Wood, Glass, Leather, Porcelain, ABS plastic, Wall, Floor etc.,</p> <p>III.Volume of each tin: 400ml</p>	Yes / No / Explain		

2	Specifications for supply of Black Matt Corrosive Resistant Adhesive Spray Paint Tins.Detailed specifications are as mentioned in Annexure-2.	<p>I.Characteristics of paint:</p> <ol style="list-style-type: none"> 1.Excellent weather resistance 2.Water proof 3.Leak proof 4.Anti-air Atop-Roof Glue Exterior 5.Good leveling 6.High coverage 7.Fast dry 8.Rich color 9.High luster 10.Better flexibility 11.Impact enduring 12.Strong adhesiveness 13.Match well with many type of primers <p>IV.Applications: Repair the leakage of tube root, pipe corner, cracks, slot wiring, pipe joints etc.,</p> <p>V.Volume of each tin: 450ml</p>	Yes / No / Explain		
---	---	---	--------------------	--	--

Supporting Documents required from Vendor

1. Signed and stamped document of Annexure-1, Annexure-2

5 additional documents can be uploaded by the vendor

C.2 Commercial Terms / Bid

Sl. No.	Description	Compliance	Vendor Terms
1	Technical specifications are as mentioned in Anneure-I & 2	Yes / No / Explain	
2	Please provide valid/currently using E-mail Id & Contact Number for seeking further clarifications if any	Yes / No / Explain	
3	Taxes: GST if any, please mention percentage (HSN/SAC code shall be indicated for each item and accordingly mention the GST Rate applicable as per prevailing guidelines.) Note: Suppliers are requested to explicitly state whether Quoted percentage/amount is Extra or Inclusive, If Not i.e, if you quote as "YES/Accepted /Noted/ As per tender specifications" it will be treated as included in the quoted basic cost	Yes / No / Explain	
4	Please mention your GST registration details GST No. for SHAR- GSTIN: 37AAAGS1366J1Z1	Yes / No / Explain	
5	In case of Specific Brand items, Please provide Authorization certificate from OEM	Yes / No / Explain	
6	Delivery Term: Please quote your rates on FOR- SDSC SHAR, Sriharikota basis including P&F & freight charges. If you quote YES or ACCEPTED or NOTED or AS PER TENDER SPECIFICATIONS, it means your prices are FOR- Sriharikota basis including P&F and FREIGHT charges. Even if you quote P&F and FREIGHT charges are extra in price bid or at any other place, this only holds good.	Yes / No / Explain	
7	Delivery Period	Yes / No / Explain	
8	Payment Term :- 100% payment shall be made through PFMS within 30 days of receipt and acceptance of the item at our site.	Yes / No / Explain	
9	Liquidated Damages (LD) :- Since delivery is the essence of this order, LD @ 0.5% per week or part thereof subject to a maximum of 10% of the order value for the delayed period of supply/ scope of work.	Yes / No / Explain	

10	Insurance :- Being a Govt. Of India Dept., Insurance is not required at our cost. Please ensure the safe delivery of the ordered item with proper transport worthy packing.	Yes / No / Explain	
11	Validity of Offer :- The validity of the offers / tenders should be 90 days (in case of single part tender) and 120 days (in case two part tender) from the date of opening of the tenders. Tenders shorter than offer validity mentioned above will not be considered for evaluation.	Yes / No / Explain	
12	Remarks if any	Yes / No / Explain	
13	<p>Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1 plus 15% (Selected by Buyer) of margin of purchase preference/price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total QUANTITY.</p> <p>Clearly specify whether you are eligible for MSE Preference. If YES, supporting documents shall be uploaded.</p>	Yes / No / Explain	

14	Do you have Unique GeM Seller ID? If YES, provide details If NO, As per Office Memorandum No 6/9/2020-PPD dated 24/08/2020 of Department of Expenditure, it shall be mandatory for sellers providing Goods and Services to Central Government Organizations to be registered on GeM and obtain a Unique GeM Seller ID, at the time of Placement of Order/acceptance of contract. Tenderers shall ensure the same.	Yes / No / Explain	
----	---	--------------------	--

C.3 Price Bid

Sl. No.	Item	Quantity	Unit Price	Currency	Total Price	Remark
1	EPOXY PAINT Thermoplastic acrylic resin spray paint 400ml tins. Color: Red, Detailed specifications are as mentioned in Annexure-1.	40.00 Nos.		-		
2	EPOXY PAINT Thermoplastic acrylic resin spray paint 400ml tins. Color: white, Detailed specifications are as mentioned in Annexure-1.	40.00 Nos.		-		
3	EPOXY PAINT Thermoplastic acrylic resin spray paint 400ml tins. Color: Green, Detailed specifications are as mentioned in Annexure-1.	40.00 Nos.		-		

4	EPOXY PAINT Thermoplastic acrylic resin spray paint 400ml tins. Color: Yellow, Detailed specifications are as mentioned in Annexure-1.	40.00 Nos.		-		
5	EPOXY PAINT Spray paint black Matt 450ml. tins, Detailed specifications are as mentioned in Annexure-2.	20.00 Nos.		-		